

Type Approval Certificate



This is to certify that the undernoted product(s) has/have been tested in accordance with the relevant requirements of the GL Type Approval System.

Certificate No. 75 719 - 09 HH

Company LSIS Co., Ltd.
1, Song Jung-dong, Hung Duk-gu
Cheong Ju, Choongbuk 361-720, KOREA, REPUBLIC OF

Product Description Molded Case Circuit Breaker

Type ABP53c, ABH53c, ABS103c, ABP103c, ABH103c

Environmental Category C

Technical Data / Range of Application
Rated operational current I_e : 15, 20, 30, 40, 50, 60, 75, 100, 125 A
Rated operational voltage U_e : 460 V AC
Rated insulation voltage U_i : 750 V AC
Rated impulse withstand voltage U_{imp} : 8 kV
Rated frequency : 50/60 Hz
Utilization category : A

Rated short-circuit capacity at 250 / 460 V AC :

	ABP53c	ABH53c	ABS103c	ABP103c	ABH103c
I_{cm} :	187/88.2	220/105	187/77.7	187/88.2	220/105 kA
I_{cu} :	85/42	100/50	85/37	85/42	100/50 kA
I_{cs} :	85/42	100/50	85/37	85/42	100/50 kA

Release systems : Thermal and Magnetic

Test Standard Regulations for the Performance of Type Tests, Part 1, Edition 2003
IEC 60947-2 (ed.4) incl. Annex H

Documents Test report : IECCE CB Test Certificate NL-17241/A1 dated 2010-01-07
PT&T R49-0913 dated 2009-05-26

Remarks None

Valid until 2016-02-23

Page 1 of 1


File No. I.K.01

Hamburg, 2012-01-18

Type Approval Symbol



Germanischer Lloyd


Thomas Hartmann


Harald Amberger

This certificate is issued on the basis of "Guidelines for the Performance of Type Approvals Part 1, Procedure".