

**WOYR8.E208316****Switches, Appliance and Special Use Certified for Canada - Component**

If you notice a change to your Woyr8 Listing Card, click [here](#) to learn more.

For enhanced search functionality, please visit UL's [iQ™ Family of Databases](#).

Click on a product designation for complete information.

[Page Bottom](#)

Switches, Appliance and Special Use Certified for Canada - Component

[See General Information for Switches, Appliance and Special Use Certified for Canada - Component](#)

NINGBO HAISHU LIHE ELECTRONIC CO., LTD

E208316

GULIN TOWN

YINZHOU DISTRICT

NINGBO, ZHEJIANG 315177 CHINA

Investigated to CSA-C22.2 No. 55

Cat. No.	Amps	Volts	Hz	Load	Endurance	Temp C	POL/THR	Per Pole/Circuit Code	SPCOA
M2B MB-0700	13	125	60	GP	10K	85	2/1	-/C	3
	8	250	60	GP	10K				
RL1	15	125	60	GP	6K	85	1/1,1/2	-/-	-
	7.5	250	60	GP	6K				
RL1-3	15	125	60	GP	6K	85	1/1,1/2	-/-	-
	7.5	250	60	GP	6K				
RL1-5	15	125	60	GP	6K	105	1/1,1/2	-/-	-
	-	125	60	3/4hp	6K				
	20	125	60	GP	6K				
	-	-	-	GP	-				
RL1-8	16	125	60	GP	6K	105	2/1	PP/-	-
	-	125	60	1/2hp	6K				
	-	250	60	1/2hp	6K				
RL2 (P)	16	125	60	GP	6K	80	2/1,2	-/B	2, A2
	10	250	60	GP	6K				
	-	250	60	3/4hp	6K				
	-	125	60	3/4hp	6K				
RL2, RL2-5	16	125	60	GP	6K	85	2/1, 2/2	-/-	2, 3
	8	250	60	GP	6K				
RL2F	16	125	60	GP	6K	85	2/1,2	-/-	-
	8	250	60	GP	6K				
RL3,RL3-6	16	125	60	GP	6K	105	1/1,1/2	-/-	-
	10	125	60	GP	6K				
	10	250	60	GP	6K				
	-	125	60	1/3hp	6K				
	-	250	60	1/3hp	6K				
RL3-10	10	125	60	GP	6K	105	2/1,2	-/-	-
RL3-10(S)	10	125	60	GP	6K	105	1/4	-/A	-

RL3-2	10	125	60	GP	6K	105	2/1,2/2	-/-	-
	10	250	60	GP	6K				
	16	125	60	GP	6K				
	-	125	60	1/3hp	6K				
	-	250	60	1/3hp	6K				
RL3-3	10	125	60	GP	6K	105	1/1	-/-	-
	10	250	60	GP	6K				
	16	125	60	GP	6K				
	-	250	60	1/3hp	6K				
	-	125	60	1/3hp	6K				
RL3-4, RL3-4R, RL3-4S	10	125	60	GP	6K	105	1/1,2/1	-/-	-
	10	250	60	GP	6K				
	16	125	60	GP	6K				
	-	125	60	1/3hp	6K				
	-	250	60	1/3hp	6K				
RL3-5	16	125	60	GP	6K	105	1/1, 1/2	-/-	-
	10	125	60	GP	6K				
	10	250	60	GP	6K				
	-	125	60	1/3hp	6K				
	-	250	60	1/3hp	6K				
RL3-5(X) F	10	125	60	GP	6K	105	2/2	-/-	-
	10	250	60	GP	6K				
	15	125	60	GP	6K				
	-	125	60	1/3hp	6K				
	-	250	60	1/3hp	6K				
RL3-5(X)D, RL3-5(X)E	10	125	60	GP	6K	105	2/1	-/-	-
	10	250	60	GP	6K				
	15	125	60	GP	6K				
	-	125	60	1/3hp	6K				
	-	250	60	1/3hp	6K				
RL3-7	10	125	60	GP	6K	85	1/1	-/-	3
RL3-8	6	125	60	GP	6K	80	1/1,1/2	-/-	3
RL4	13	125	60	GP	6K	105	2/2	PP/C	A1
	6.5	250	60	GP	6K				
RL4-2	13	125	60	GP	6K	105	2/3	PP/C	A1
	6.5	250	60	GP	6K				
RL4-3	13	125	60	GP	6K	105	2/4	PP/C	A1
	6.5	250	60	GP	6K				
RL5	16	125	60	GP	6K	105	2/2	-/-	2
	-	250	60	3/4hp	6K				
	-	125	60	1/2hp	6K				
RL5-2	16	125	60	GP	6K	85	1/2	-/A	-
	10	125	60	GP	6K				
	10	250	60	GP	6K				
	6	250	60	GP	6K				

RL5-4	6	125	60	GP	6K	85	1/2	-/A	3
	6	250	60	GP	6K				
	-	250	60	1/4hp	6K				
RL6	16	125	60	GP	6K	105	1/1	-/A	-
	16	250	60	GP	6K				
	6	125	60	GP	6K				
	6	250	60	GP	6K				
RL6 (1E4)	6	125	60	GP	10K	105	1/M	-/A	-
RL6-2	10	125	60	GP	6K	85	1/M	-/A	-
	6	250	60	GP	6K				
	6	125	60	GP	6K				
	-	125	60	1/4hp	6K				
RL7 (T105)	16	125	60	GP	6K	105	1/1	-/A	-
	8	250	60	GP	6K				
RL7 (T65)	16	125	60	GP	6K	65	1/1	-/A	-
	8	250	60	GP	6K				
RL8	8	125	60	GP	10K	85	2/1	-/C	3
	8	250	60	GP	10K				
RL8 (D)	13	125	60	GP	10K	85	2/1	-/C	3
	8	250	60	GP	10K				

A1 - Model RL4 - All materials employed for insulating material supporting opposite polarity fixed contacts have a Comparative Tracking Index (CTI) rating of 2 or better and a flammability rating of V-1 or better.

Note A2 - The waterproof covering for this switch was not tested during WOYR testing evaluation and must be evaluated during end product testing for acceptability.

RLEIL

Marking: Company name or trademark **RLEIL**, catalog, model or part number, electrical ratings and the Recognized Component



Mark for Canada, **UL** on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2017-11-14

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".